

CSL/2019-20/247 7th August, 2019

То,	To,	
BSE Limited	National Stock Exchange of India Limited	
Corporate Relationship Department	Exchange Plaza	
1 st Floor, New Trading Ring	Bandra Kurla Complex	
Rotunda Building, P J Towers	Bandra (East)	
alal Street, Fort, Mumbai – 400001. Mumbai – 400051.		
Scrip Code :532443		
Scrip ID: CERASAN	Scrip Code: CERA	

Dear Sirs,

RE: Credit Rating for Bank Facilities

With reference to the Regulation 30 of Securities and Exchange Board of India (Listing Obligations and Disclosure Requirements) Regulations, 2015, we have received a letter dated 29.07.2019 (Received by us on 07.08.2019) from CARE Ratings Ltd. regarding Credit Rating for Bank Facilities of Cera Sanitaryware Limited. The rating committee has reviewed the following ratings:

Facilities	Ratings	Remarks
Long -Term Bank Facilities	CARE AA; Stable	Reaffirmed
	[Double A; Outlook: Stable]	
Short -Term Bank Facilities	CARE A1+	Reaffirmed
	[A One Plus]	
Long -Term/Short -Term Bank Facilities	CARE AA; Stable/CARE A1+ [Double A; Outlook: Stable / A One Plus]	Reaffirmed

We are also enclosing letter received from the CARE Rating Ltd. for your records.

We hope you will find the above in order.

Thanking you,

Yours faithfully, For Cera Sanitaryware Limited,

Narendra N. Patel President & Company Secretary Encl.

Cera Sanitaryware Limited

Corporate Office: 7th & 8th Floors, B Wing, Privilon, Ambli BRTS Road, Iskcon Crossroads, Ahmedabad 380059, India Tel: +91 79 49112222 Email: marketing@cera-india.com Web: www.cera-india.com

Registered Office & Works: 9, GIDC Industrial Estate, Kadi 382715, District Mehsana, North Gujarat