

**CERA**

**Cera Sanitaryware Limited**

**Corporate Office :**

7th & 8th Floors, B Wing, Privilon, Ambli BRTS Road,  
Iskcon Crossroads, Ahmedabad - 380059

Tel.: +91 79 49112222

Email: tiles@cera-india.com

**www.cera-india.com**

Scan & Download  
E-Catalogue



Vitrified Tiles- Feb 2023

**CERA**



**IF TILES COULD  
TALK STYLE**

**VITRIFIED TILES**

**THIS IS YOUR *SPACE*. PLAY IT *YOUR WAY*.**





# STYLISH & ENDURING

Is beauty really beauty if it doesn't have the strength to remain beautiful?  
Is strength really worth it all, if it doesn't look pleasing to the eye?

What if there is a common answer to both these questions? That's Cera PVT for you. PVT stands for Polished Vitrified Tiles. They are as beautiful as they are enduring. Cera PVT is spread across 6 distinct categories -

**Refinito** - Double Charged Vitrified Tiles - Available in 800x1200mm, 600x1200mm, 1000x1000mm, 800x800mm, 600x600mm

**Identity** - Full Body Vitrified Tiles - Available in 600x1200mm, 600x600mm

**Step & Riser** - Full Body Vitrified Tiles - Available in 600x1200mm, 300x1200mm

**Elegante** - Soluble Salt Vitrified Tiles - Available in 600x600mm

**Vitrogres** - Semi Vitrified Wall Tiles - Available in 300x450mm

**Patio** - Parking Floor Tiles - Available in 400x400mm, 300x300mm

What does enduring elegance mean?

Aesthetically, it stands for tiles that withstand everything, while retaining their innate charm. Practically, it stands for a range of tiles that's versatile unlike any other. The elegance in it can be seen in its appealing shades and designs. And thanks to its endurance it's ideal for commercial and residential, interior flooring and cladding, and areas that see extremely high footfall.



GIVES YOU AN  
*imperial &  
monarchic*  
FEEL



# CONTENTS

Bringing out the  
*Allure &  
Monochromatic*  
shades of the space.

## REFINITO

Double Charged Vitrified Tiles

07

600X1200mm

800X800mm

600X600mm

## IDENTITY

Full Body Vitrified Tiles

34

600X1200mm

600X600mm

600x600mm (15mm Matt)

## STEP & RISER

48

600X1200mm

300X1200mm

## ELEGANTE

Vitrified Tiles with Nano Technology

51

600X600mm

## PATIO

Parking Tiles

56

400X400mm

300X300mm





# REFINITO

Double Charged Vitrified Tiles

The designs in Refinito range emanate from a simple principle -  
to take grandeur of your interiors to the next level.

600X1200mm | 800X800mm | 600X600mm




**REFINITO**  
Double Charged Vitrified Tiles  
600X1200 mm



FLAX AQUA  
08

NEW




FLAX WHITE | T213402NA

NEW




FLAX GOLD | T213401NA

NEW



FLAX BUTTERSCOTCH | T213720NA


NEW



FLAX ASH | T213409NA




NEW




FLAX AQUA | T213715NA

NEW



FLAX CHARCOAL | T213717NA

NEW



FLAX BLACK | T213716NA

NEW



REGALIA GOLD | T213403NA



REFINITO  
Double Charged Vitrified Tiles  
600X1200 mm




**REFINITO**  
Double Charged Vitrified Tiles  
600X1200 mm




PERLATO BUTTERSCOTCH

NEW



REGALIA WHITE | T213404NA

NEW



PERLATO WHITE | T213408NA

NEW



PERLATO SANDY | T213407NA

NEW



PERLATO FINT | T213406NA



NEW




PERLATO PLATINUM | T213719NA

NEW



PERLATO BUTTERSCOTCH | T213718NA

NEW



LUCINDA WHITE | T213714NA

NEW



LUCINDA PISTA | T213713NA



**REFINITO**  
Double Charged Vitrified Tiles  
600X1200 mm



**REFINITO**  
Double Charged Vitrified Tiles  
600X1200 mm




DACIA ALASKA WHITE

NEW




LUCINDA GOLD | T213712NA

NEW




LUCINDA ASH | T213711NA

NEW



DACIA WHITE | T213010NA


NEW



DACIA ALASKA WHITE | T213011NA



NEW



DACIA GOLD | T213009NA

NEW



DACIA CREMA | T213008NA

NEW



DACIA ASH | T213012NA

NEW



DACIA MAJESTIC | T213405NA




**REFINITO**  
Double Charged Vitrified Tiles  
600X1200 mm



**REFINITO**  
 Double Charged Vitrified Tiles  
 800X800 mm




**PLATINUM CREMA**




TROPIC WHITE | T218019NA




TROPIC SUPER WHITE | T218020NA




TROPIC TOPAZ WHITE | T218032NA




TROPIC ULTRA WHITE | T218029NA




TROPIC REBEL | T218030NA



CRYSTAL SUPER WHITE | T218506NA




PLATINUM WHITE | T218307NA




PLATINUM CREMA | T218308NA



**REFINITO**  
Double Charged Vitrified Tiles  
800X800 mm




GEMSTONE WHITE | T218309NA



GEMSTONE CREMA | T218310NA





ARTIS ASH | T216726NA



ARTIS WHITE | T216027NA



ARTIS ROSE | T216028NA




ARTIS CREMA | T216029NA



TROPIC TERRA | T216023NA



TROPIC CANDY | T216024NA



TROPIC RUBY | T216025NA



TROPIC MOCA | T216026NA



**REFINITO**  
Double Charged Vitrified Tiles  
600X600 mm

**ARTIS CREMA**



**REFINITO**  
 Double Charged Vitrified Tiles  
 600X600 mm



TROPIC COFFEE



TROPIC BRONZE | T216718NA



TROPIC BLACK | T216701NA



TROPIC SMOKE | T216717NA



TROPIC RED | T216703NA



TROPIC COFFEE | T216702NA



TROPIC NERO | T216706NA



TROPIC ALMOND | T216704NA



TROPIC PRO YELLOW | T216014NA





TROPIC LIGHT GREEN | T216005NA




TROPIC ORANGE | T216003NA



TROPIC SUPER WHITE | T216011NA



TROPIC IVORY | T216004NA



TROPIC WHITE | T216001NA



TROPIC PRO WHITE | T216012NA



TROPIC REBEL | T216044NA



ULTRA DECAF | T216043NA



**REFINITO**  
Double Charged Vitrified Tiles  
600X600 mm

TROPIC LIGHT GREEN



**REFINITO**  
 Double Charged Vitrified Tiles  
 600X600 mm



ULTRA GRANITO | T216035NA



ULTRA ROSE | T216036NA



ULTRA POLVO | T216037NA



ULTRA COPER | T216038NA



ULTRA MUD | T216039NA



ULTRA CHOCOLATE | T216040NA




ULTRA MELODY | T216041NA



ULTRA BEIGE | T216042NA





ULTRA WHITE | T216032NA




ULTRA PINK | T216033NA



ULTRA GOLD | T216034NA



PLATINUM WHITE | T216019NA



CRYSTAL SUPER WHITE | T216021NA



PLATINUM CREMA | T216020NA



**REFINITO**  
Double Charged Vitrified Tiles  
600X600 mm





# IDENTITY

Full Body Vitrified Tiles

The Identity range is for those with a worldly taste. Packed with ophistication in every square mm, the Identity range of full body vitrified tiles have pigment in the entire body (thickness) of the tile.

600X1200mm | 600X600mm

FASHION GRAY


FULLBODY



CERA  
Tiles



CLASSIC SILVER | T228011NA | T238011NA



PLAIN KOTA GREEN | T228012NA | T238012NA



FASHION GRAY | T238022NA



GUN METAL GREY | T238023NA







S&P URBAN GREY | T228013NA | T238013NA



S&P SALMON | T228014NA | T238014NA



S&P CANARY | T228015NA | T238015NA



S&P WHITE | T228016NA | T238021NA



**IDENTITY**  
Full Body Vitrified Tiles  
600X1200 mm



# IDENTITY

Full Body Vitrified Tiles

600X1200 mm


FULLBODY




CERA  
Tiles




S&P COKE | T228017NA | T238017NA



S&P EARTH | T228018NA | T238018NA



S&P MARGARINE | T228019NA | T238019NA



PURE WHITE | T228021NA | T238021NA





MIAMI | T228001NA



MILAN | T228002NA



ROME | T228003NA



VEGAS | T228004NA



IDENTITY  
Full Body Vitrified Tiles  
600X1200 mm



**IDENTITY**  
Full Body Vitrified Tiles  
600X600 mm



**GUN METAL GRAY**

**FULLBODY**




**CERA**  
Tiles



**CLASSIC SILVER**  
T226008NA T236008NA




**FASION GRAY**  
T236019




**GUN METAL GRAY**  
T236020




**PLAIN KOTA GREEN**  
T226013NA T236013NA




**S&P SALMON**  
T226011NA T236011NA



**S&P URBAN GREY**  
T226012NA T236012NA



**S&P COOL ASH**  
T226010NA



**S&P WHITE**  
T226014NA T236014NA





FULLBODY




S&P COKE  
T226015NA T236015NA



S&P BROWN  
T226016NA T236016NA



S&P MARGARINE  
T236017NA T226017NA



PURE WITHE  
T226018NA T236018NA



IDENTITY  
Full Body Vitrified Tiles  
600X600 mm




**IDENTITY**  
Full Body Vitrified Tiles  
600X600 mm

(15MM) MATT

**CERA**  
Tiles



PLAIN KOTA GREEN | T251001NA



URBAN GRAY | T251002NA



COKE | T251005NA



EARTH | T251006NA



CLASSIC SILVER GREY | T251007NA



STEP & RISER

600X1200  
300X1200 mm

CREST BEIGE



T310525NA



T310525HA

CREST GRIS



T310526NA



T310526HA


# STEP & RISER

Cera Step and Risers are full-bodied vitrified tiles that come with unique tread lines that make anti skid and thus safe to walk on.

600X1200mm | 300X1200mm



CREST BROWN




T310524NA



T310524HA

CREST MINK



T310527NA



T310527HA



# ELEGANTE

Vitrified Tiles with Nano Technology


The Elegante range of soluble salt Nano vitrified tiles comes in a convenient size of 600 x 600 mm with a Stain-Free Nano finish.

600X600mm





TRAVIA | T111002NA




ZEVIO | T111021NA



REVEIRA | T111012NA




RIVOLI | T111014NA




KARISSA | T111028NA



KARLESHA | T111029NA



HAWAI | T111035NA



KARDIA | T111007NA




**ELEGANTE**  
Vitrified Tiles with Nano Technology  
600X600 mm





**ELEGANTE**  
Vitrified Tiles with Nano Technology  
**600X600 mm**



KEMANO | T111018NA



SENHORITA | T111065NA




VITALIA | T111064NA



ATHAPAS | T111063NA



CALDERONI | T111066NA




EVOCA | T111067NA






400X400MM | DIGITAL


**CERA**  
Tiles



CHECKS WALKWAY  
T623010NA



CASTER  
T623073NA



LAGOON BEIGE  
T623062NA



LAGOON AMBER  
T623061NA



LAGOON GRAPHITE  
T623063NA



OCTA CHOCO  
T623045NA



RIDGE SQUARE  
T623049NA



POOL DECK BROWN  
T623047NA

# PATIO

Parking Tiles

Say hello to the holy communion between durability and versatility, with Cera Patio tiles.

400X400mm | 300X300mm

CHECKS WALKWAY





HIBIKI BEIGE  
T623044NA




HIBIKI BROWN  
T623043NA



RIDGE SAND  
T623050NA




RIDGE SLATE  
T623048NA




TERRAZO BROWN  
T623051NA



TERRAZO LIGHT  
BROWN T623052NA



TERRAZO COTTO  
T623053NA



CUBOID  
T623042NA



**PATIO**  
Parking Tiles  
400X400 mm



**PATIO**  
Parking Tiles  
400X400 mm



400X400MM | DIGITAL

**CERA**  
Tiles



PATHWAY MULTI  
T623057NA



PATHWAY BROWN  
T623056NA



WINK BROWN  
T623072NA



NOVEL BROWN  
T623070NA



RUFFTY  
T623071NA



GRAMITE BEIGE  
T623011NA



ATHENS BROWN  
T623054NA



ATHENS GREY  
T623055NA





FLEDSPAR WHITE  
T623065NA



FLEDSPAR GREY  
T623066NA



CHIPS WHITE  
T623067NA




GRAVELLA GREY  
T623059NA



CHIPS MULTI  
T623069NA



GRAVELLA WINE  
T623060NA



CHIPS GREY  
T623068NA



GRAVELLA BROWN  
T623058NA

**PATIO**  
Parking Tiles  
400X400 mm



CHIPS MULTI  
CHIPS GREY  
CHIPS WHITE




400X400MM | DIGITAL

CERA  
Tiles

PATIO  
Parking Tiles  
400X400 mm




QUEBEC  
T623041NA



CUBIX RADO  
T623074NA



CUBIX GREY  
T623075NA



CUBIX GREY HL  
T623075NB



CROSSA STONE  
T623079NA



COLORADO RADO  
T623076NA



COLORADO BEIGE HL-1  
T623077NB



COLORADO BEIGE  
T623077NA

COLORADO BEIGE  
COLORADO BEIGE HL-1







FLORA HL  
T623078NB




FLORA  
T623078NA




BRIXA BEIGE  
T623080NA



BRIXA BROWN  
T623081NA



HARD ASHEN  
T623083NA



POOL DECK BLACK  
T623046NA

**PATIO**  
Parking Tiles  
400X400 mm





**PATIO**  
Parking Tiles  
400X400 mm

400X400MM | DIGITAL

**CERA**  
Tiles



ROCK LIGHT GREY  
T623086NA



ROCK BROWN  
T623085NA



ROCK GREY  
T623082NA



ROCK BEIGE  
T623084NA



ROCK DARK GREY  
T623087NA

ROCK BROWN






EARTHSTONE BROWN  
T623001NA



EARTHSTONE BEIGE  
T623002NA



EARTHSTONE WHITE  
T623003NA



EARTHSTONE DARK GREY  
T623004NA



EARTHSTONE BLACK  
T623005NA



**PATIO**  
Parking Tiles  
400X400 mm

EARTHSTONE DARK GREY



# PATIO

Parking Tiles

300X300 mm

300X300MM | DIGITAL


**CERA**  
Tiles




PATRON  
T611001NA




PATRIGO  
T611002NA




PENTON  
T611003NA



PAMINE  
T611004NA



PENTHEA  
T611005NA



PETYA  
T611009NA




REPLI META  
T611055NA



REPLI COTTO  
T611056NA




PHITO  
T611012NA




POVISKA  
T611013NA



POSINA  
T611014NA



OSCINE CLOUD  
T611041NA



BRICK RED  
T611060NA



STAG BROWN  
T611052NA



SWISS IVORY  
T611053NA






ARTISTIC GREY LT  
T611042NA



ARTISTIC GREY HA  
T611042NB



INTERGO BROWN LT  
T611043NA



CREAMY WHITE  
T611045NA



CREAMY GREY  
T611046NA



INTERGO BROWN HL  
T611043NB




MURKY  
T611044NA



MOTLEY BROWN  
T611047NA




MOTLEY CHOCO  
T611048NA




BECKON BEIGE  
T611049NA




BECKON BROWN  
T611050NA




BRITON BLONDE  
T611051NA



PHILENA  
T611010NA



PHILIDA  
T611011NA



CHECKS GRANITE  
T611054NA

**PATIO**  
Parking Tiles  
300X300 mm



**CHECKS GRANITE**





300X300MM | DIGITAL

**CERA**  
Tiles




TRINI GREY  
T611058NB




TRINI BROWN  
T611059NA



PETENKA  
T611007NA



LITHIC GREY  
T611066NA



LITHIC BROWN  
T611067NA



PETROVIA  
T611008NA



METAL SOFT LT  
T611062NA




METAL GREY LT  
T611063NA



VIGRO BROWN  
T611057NA




METAL SOFT HL  
T611062NC




METAL GREY HL  
T611063NC




PEPITA  
T611006NA



METAL SOFT DK  
T611062NB



METAL GREY DK  
T611063NB




MOUNTAIN FESCUE  
T611065NA

TRINI BROWN







QUADGRA  
T611068NA



ROBECCO IVORY  
T621005IV




ROBECCO TERACOTTA  
T621005TC



ROZZANO IVORY  
T621006IV



ROZZANO TERACOTTA  
T621006TC




ROVATO IVORY  
T621007IV




TROVETTA IVORY  
T621010IV



TROVETTA TERACOTTA  
T621010TC



ROVATO TERACOTTA  
T621007TC




TROSSNAO IVORY  
T621009IV




PLAIN IVORY  
T621011IV



PLAIN TERACOTTA  
T621011TC



TROSSNAO TERACOTTA  
T621009TC






300X300MM | DIGITAL

**CERA**  
Tiles

**PATIO**  
Parking Tiles  
300X300 mm



**SALT & PAPER**



TROSIA IVORY  
T622001IV

**SALT & PAPER**



TROSIA TERACOTTA  
T622001TC

TROSIA TERACOTTA



**TECHNICAL SPECIFICATIONS  
& PACKAGING DETAILS**

REFINITO				
Sr. No.	Properties	Test Method	IS 15622:2017 Group - B I a	CERA VALUE
DIMENSION & SURFACE QUALITY				
1	Deviation in Length and Width	IS 13630 Part-1	± 0.10%	± 0.10%
2	Deviation in Thickness	IS 13630 Part-1	± 5.0%	± 3.0%
3	Straightness of Sides	IS 13630 Part-1	± 0.10%	± 0.10%
4	Diagonal Variation or Rectangularity	IS 13630 Part-1	± 0.10%	± 0.10%
5	Surface Flatness	IS 13630 Part-1	± 0.50%	± 0.15%
6	Surface Quality	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects
PHYSICAL PROPERTIES				
7	Water Absorption	IS 13630 Part-2	Avg.≤ 0.08 % Ind-0.1 %	Avg.≤ 0.05 %
8	MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm <sup>2</sup> Ind.-32 N/mm <sup>2</sup>	Avg. 40 N/mm <sup>2</sup>
9	Breaking strength	IS 13630 Part-6	Thickness< 7.5mm-700N Thickness≥ 7.5mm-1300N	Thickness< 7.5mm-700 N Thickness≥ 7.5mm-1500N
10	Abrasion Resistance (Unglazed Tiles)	IS 13630 Part-11	Max. 145 mm <sup>3</sup>	Max. 125 mm <sup>3</sup>
11	MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5
12	Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2
13	Moisture Expansion	IS 13630 Part-3	0.02mm/m	0.02 mm/m
14	Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min
15	Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.
16	Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	10 Cycle Min.
17	Frost Resistance	IS 13630 Part-10	Resistant	No damage
18	Linear Thermal Expansion	IS 13630 Part-4	6X10 <sup>-6</sup> K <sup>-1</sup> Max.	6X10 <sup>-6</sup> K <sup>-1</sup> Max.
CHEMICAL PROPERTIES				
19	Resistance to Household chemical	IS 13630 Part-8	Min. AA	Min. AA
20	Resistance to Stain	IS 13630 Part-8	Min. Class 1	Min. Class 1

REFINITO				
Sr. No.	Product	Nominal Size	No of Tiles/Box	Approx Covering Area
1	Double Charged Vitrified Tiles	600X1200mm	2	1.44 Sq.Mtr
2	Double Charged Vitrified Tiles	800X800mm	3	1.92 Sq.Mtr
3	Double Charged Vitrified Tiles	600X600mm	4	1.44 Sq.Mtr

**TECHNICAL SPECIFICATIONS  
& PACKAGING DETAILS**

IDENTITY				
Sr. No.	Properties	Test Method	IS 15622:2017 Group - B I a	CERA VALUE
DIMENSION & SURFACE QUALITY				
1	Deviation in Length and Width	IS 13630 Part-1	± 0.10%	± 0.10%
2	Deviation in Thickness	IS 13630 Part-1	± 5.0%	± 3.0%
3	Straightness of Sides	IS 13630 Part-1	± 0.10%	± 0.10%
4	Diagonal Variation or Rectangularity	IS 13630 Part-1	± 0.10%	± 0.10%
5	Surface Flatness	IS 13630 Part-1	± 0.50%	± 0.15%
6	Surface Quality	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects
PHYSICAL PROPERTIES				
7	Water Absorption	IS 13630 Part-2	Avg.≤ 0.08 % Ind-0.1 %	Avg.≤ 0.05 %
8	MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm <sup>2</sup> Ind.-32 N/mm <sup>2</sup>	Avg. 40 N/mm <sup>2</sup>
9	Breaking strength	IS 13630 Part-6	Thickness< 7.5mm-700N Thickness≥ 7.5mm-1300N	Thickness< 7.5mm-700 N Thickness≥ 7.5mm-1500N Thickness≥ 15mm-3800N
10	Abrasion Resistance (Unglazed Tiles)	IS 13630 Part-11	Max. 145 mm <sup>3</sup>	Max. 125 mm <sup>3</sup>
11	MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5
12	Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2
13	Moisture Expansion	IS 13630 Part-3	0.02mm/m	0.02 mm/m
14	Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min
15	Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.
16	Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	10 Cycle Min.
17	Frost Resistance	IS 13630 Part-10	Resistant	No damage
18	Linear Thermal Expansion	IS 13630 Part-4	6X10 <sup>-6</sup> K <sup>-1</sup> Max.	6X10 <sup>-6</sup> K <sup>-1</sup> Max.
CHEMICAL PROPERTIES				
19	Resistance to Household chemical	IS 13630 Part-8	Min. AA	Min. AA
20	Resistance to Stain	IS 13630 Part-8	Min. Class 1	Min. Class 1

IDENTITY				
Sr. No.	Product	Nominal Size	No of Tiles/Box	Approx Covering Area
1	Full Body Vitrified Tiles	600X1200mm	2	1.44 Sq.Mtr
2	Full Body Vitrified Tiles	600X600mm	4	1.44 Sq.Mtr
3	Full Body Vitrified Tiles	600X600mm(15mm)	2	0.72 Sq.Mtr



TECHNICAL SPECIFICATIONS  
& PACKAGING DETAILS

ELEGANTE SST				
Sr. No.	Properties	Test Method	IS 15622:2017 Group - B I a	CERA VALUE
DIMENSION & SURFACE QUALITY				
1	Deviation in Length and Width	IS 13630 Part-1	± 0.10%	± 0.10%
2	Deviation in Thickness	IS 13630 Part-1	± 5.0%	± 3.0%
3	Straightness of Sides	IS 13630 Part-1	± 0.10%	± 0.10%
4	Diagonal Variation or Rectangularity	IS 13630 Part-1	± 0.10%	± 0.10%
5	Surface Flatness	IS 13630 Part-1	± 0.50%	± 0.15%
6	Surface Quality	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects
PHYSICAL PROPERTIES				
7	Water Absorption	IS 13630 Part-2	Avg.≤ 0.08 % Ind-0.1 %	Avg.≤ 0.05 %
8	MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm <sup>2</sup> Ind.-32 N/mm <sup>2</sup>	Avg. 40 N/mm <sup>2</sup>
9	Breaking strength	IS 13630 Part-6	Thickness< 7.5mm-700N Thickness≥ 7.5mm-1300N	Thickness< 7.5mm-700 N Thickness≥ 7.5mm-1300N
10	Abrasion Resistance (Unglazed Tiles)	IS 13630 Part-11	Max. 145 mm <sup>3</sup>	Max. 125 mm <sup>3</sup>
11	MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5
12	Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2
13	Moisture Expansion	IS 13630 Part-3	0.02mm/m	0.02 mm/m
14	Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min
15	Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.
16	Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	10 Cycle Min.
17	Frost Resistance	IS 13630 Part-10	Resistant	No damage
18	Linear Thermal Expansion	IS 13630 Part-4	6X10 <sup>-6</sup> K <sup>-1</sup> Max.	6X10 <sup>-6</sup> K <sup>-1</sup> Max.
CHEMICAL PROPERTIES				
19	Resistance to Household chemical	IS 13630 Part-8	Min. AA	Min. AA
20	Resistance to Stain	IS 13630 Part-8	Min. Class 1	Min. Class 1

ELEGANTE SST				
Sr. No.	Product	Nominal Size	No of Tiles/Box	Approx Covering Area
1	Vitrified Tiles With Nano Technology	600X600mm	4	1.44 Sq.Mtr

TECHNICAL SPECIFICATIONS  
& PACKAGING DETAILS

STEP & RISER (300x1200mm, 600x1200mm)				
Sr. No.	Properties	Test Method	IS 15622:2017 Group - B I a	CERA VALUE
DIMENSION & SURFACE QUALITY				
1	Deviation in Length and Width	IS 13630 Part-1	± 0.10%	± 0.10%
2	Deviation in Thickness	IS 13630 Part-1	± 5.0%	± 3.0%
3	Straightness of Sides	IS 13630 Part-1	± 0.10%	± 0.10%
4	Diagonal Variation or Rectangularity	IS 13630 Part-1	± 0.10%	± 0.10%
5	Surface Flatness	IS 13630 Part-1	± 0.50%	± 0.15%
6	Surface Quality	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects
PHYSICAL PROPERTIES				
7	Water Absorption	IS 13630 Part-2	Avg.≤ 0.08 % Ind-0.1 %	Avg.≤ 0.05 %
8	MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm <sup>2</sup> Ind.-32 N/mm <sup>2</sup>	Avg. 40 N/mm <sup>2</sup>
9	Breaking strength	IS 13630 Part-6	Thickness< 7.5mm-700N Thickness≥ 7.5mm-1300N	1800N
10	Abrasion Resistance (Unglazed Tiles)	IS 13630 Part-11	Max. 145 mm <sup>3</sup>	Max. 125 mm <sup>3</sup>
11	MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5
12	Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2
13	Moisture Expansion	IS 13630 Part-3	0.02mm/m	0.02 mm/m
14	Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min
15	Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.
16	Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	10 Cycle Min.
17	Frost Resistance	IS 13630 Part-10	Resistant	No damage
18	Linear Thermal Expansion	IS 13630 Part-4	6X10 <sup>-6</sup> K <sup>-1</sup> Max.	6X10 <sup>-6</sup> K <sup>-1</sup> Max.
CHEMICAL PROPERTIES				
19	Resistance to Household chemical	IS 13630 Part-8	Min. AA	Min. AA
20	Resistance to Stain	IS 13630 Part-8	Min. Class 1	Min. Class 1

STEP & RISER				
Sr. No.	Product	Nominal Size	No of Tiles/Box	Approx Covering Area
1	Riser	600X1200mm	2	1.44 Sq.Mtr
2	Step	300X1200mm	4	1.44 Sq.Mtr



**TECHNICAL SPECIFICATIONS  
& PACKAGING DETAILS**

PATIO				
Sr. No.	Properties	Test Method	IS 15622:2017 Group - B I b	CERA VALUE
DIMENSION & SURFACE QUALITY				
1	Deviation in Length and Width	IS 13630 Part-1	± 0.10%	± 0.10%
2	Deviation in Thickness	IS 13630 Part-1	± 5.0%	± 4.0%
3	Straightness of Sides	IS 13630 Part-1	± 0.10%	± 0.10%
4	Diagonal Variation or Rectangularity	IS 13630 Part-1	± 0.10%	± 0.10%
5	Surface Flatness	IS 13630 Part-1	± 0.50%	± 0.2%
6	Surface Quality	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects
PHYSICAL PROPERTIES				
7	Water Absorption	IS 13630 Part-2	Avg. 0.08 < E ≤ 3 % Ind.- 3.3 Max %	Max-0.05 %
8	MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 30 N/mm <sup>2</sup> Ind.-27 N/mm <sup>2</sup>	Avg. 35 N/mm <sup>2</sup>
9	Breaking strength	IS 13630 Part-6	Thickness≥ 7.5mm-1100N	2200N
10	Abrasion Resistance (PEI groups II III IV V )	IS 13630 Part-11	Min. Class II	Min. Class III
11	MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5
12	Bulk Density	IS 13630 Part-2	Min. 2	Min. 2
13	Moisture Expansion	IS 13630 Part-3	Max. 0.02mm/m	Max. 0.02 mm/m
14	Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min
15	Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.
16	Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	10 Cycle Min.
17	Frost Resistance	IS 13630 Part-10	Resistant	No damage
18	Linear Thermal Expansion	IS 13630 Part-4	7X10 <sup>-6</sup> K <sup>-1</sup> Max.	7X10 <sup>-6</sup> K <sup>-1</sup> Max.
CHEMICAL PROPERTIES				
19	Resistance to Household chemical	IS 13630 Part-8	Min. AA	Min. AA
20	Resistance to Stain	IS 13630 Part-8	Min. Class 1	Resistance

PATIO				
Sr. No.	Product	Nominal Size	No of Tiles/Box	Approx Covering Area
1	Digital Parking Tiles	400X400mm	5	0.80 Sq.Mtr

**TECHNICAL SPECIFICATIONS  
& PACKAGING DETAILS**

PATIO				
Sr. No.	Properties	Test Method	IS 15622:2017 Group - B I b	CERA VALUE
DIMENSION & SURFACE QUALITY				
1	Deviation in Length and Width	IS 13630 Part-1	± 0.20%	± 0.15%
2	Deviation in Thickness	IS 13630 Part-1	± 5.0%	± 4.0%
3	Straightness of Sides	IS 13630 Part-1	± 0.10%	± 0.10%
4	Diagonal Variation or Rectangularity	IS 13630 Part-1	± 0.10%	± 0.10%
5	Surface Flatness	IS 13630 Part-1	± 0.50%	± 0.2%
6	Surface Quality	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects
PHYSICAL PROPERTIES				
7	Water Absorption	IS 13630 Part-2	Avg. 0.08 < E ≤ 3 % Ind.- 3.3 Max %	Less than 2%
8	MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 30 N/mm <sup>2</sup> Ind.-27 N/mm <sup>2</sup>	Avg. 35 N/mm <sup>2</sup>
9	Breaking strength	IS 13630 Part-6	Thickness≥ 7.5mm-1100N	1600N
10	Abrasion Resistance (PEI groups II III IV V )	IS 13630 Part-11	Min. Class II	Min. Class III
11	MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5
12	Bulk Density	IS 13630 Part-2	Min.2	Min <sup>2</sup>
13	Moisture Expansion	IS 13630 Part-3	Max. 0.02mm/m	Max. 0.02 mm/m
14	Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min
15	Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.
16	Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	10 Cycle Min.
17	Frost Resistance	IS 13630 Part-10	Resistant	No damage
18	Linear Thermal Expansion	IS 13630 Part-4	7X10 <sup>-6</sup> K <sup>-1</sup> Max.	7X10 <sup>-6</sup> K <sup>-1</sup> Max.
CHEMICAL PROPERTIES				
19	Resistance to Household chemical	IS 13630 Part-8	Min. AA	Min. AA
20	Resistance to Stain	IS 13630 Part-8	Min. Class 1	Resistance

PATIO				
Sr. No.	Product	Nominal Size	No of Tiles/Box	Approx Covering Area
1	Digital Parking Tiles	300X300mm	8	0.72 Sq.Mtr
2	Salt & Paper	300X300mm	10	0.90 Sq.Mtr
3	Plain Ivory & Plain Teracotta	300X300mm	10	0.90 Sq.Mtr






Trusted by all.  
Made by **CERA.**

**CERA Stylefix**  
Construction Chemicals

A range of Stylefix Construction Chemicals.



Tile Spacer



Tile Equalizer

- Wall Tiles Adhesive
- Stone Adhesive - White
- Cement Based Tile Grout
- Tiles Adhesive TA01F
- Block Jointing Mortar
- Epoxy Based Tile Grout
- Stone Adhesive - Grey
- Ready Mix Plaster
- Epoxy Glitter

**CERA**  
Cera Sanitaryware Limited

Corporate Office: 7<sup>th</sup> & 8<sup>th</sup> Floors, B Wing, Privilon, Ambli BRTS Road, Iskon Crossroads, Ahmedabad 380059. Tel: +91 79 49112222  
Email: marketing@cera-india.com Web: www.cera-india.com  
For customer care: Toll Free: 1800 258 5500 | Email: ceracare@cera-india.com | Online: www.cera-india.com/servicequest

**CERA**

Cera Sanitaryware Limited

**Regional Offices:**

**Ahmedabad:** 2<sup>nd</sup> Floor, B Block, The Acropolis Mall, S.G. Highway, Thaltej, Ahmedabad 380054 Tel: +91 9033008905, 9033008906, 9033008907, 9033008908 Email: bathstudio\_ahd@cera-india.com  
**Bengaluru:** 58, Todi Residency, 1<sup>st</sup> Floor, 100 Feet Road, Indira nagar, Bengaluru 560038 Tel: +91 80 41126226 Email: cerastudio.bangalore@cera-india.com  
**Chandigarh:** SCO No. 46, Pocket No. 1, NAC, Manimajra, Chandigarh 160101 Tel: +91 172 2733101, 5001007 Email: chandigarh@cera-india.com  
**Chennai:** 10 Square Mall, 2<sup>nd</sup> Floor, West Wing, 100 Feet Road, #64, Jawaharlal Nehru Road, Koyambedu, Chennai 600107 Tel: +91 44 48649884, 48609885  
**Delhi & NCR:** 704, Bhikaji Cama Bhawan, 7<sup>th</sup> Floor, Bhikaji Cama Place, New Delhi 110066 Tel: +91 11 46574105, 46574106 Email: delhi@cera-india.com  
**Hyderabad:** Plot # 643, 3<sup>rd</sup> & 4<sup>th</sup> Floor, Mytri Heights, Adjacent Madhapur Metro Station, Road # 36, Jubilee Hills, Hyderabad 500033 Tel: +91 40 29880622 Email: css.hyderabad@cera-india.com  
**Kochi:** 1<sup>st</sup> Floor, Bay Pride Towers & Mall, Marine Drive, Kochi 682031 Tel: +91 484 4052213, 2365440 Email: cochin@cera-india.com  
**Kolkata:** Tirumala 22, Unit - 3A, 3<sup>rd</sup> Floor, 22 Topsia Road (East), Kolkata 700046 Tel: +91 33 22850130 Email: css.kolkata@cera-india.com  
**Kozhikode:** 29/1275, "Payyeri House" MLA Road, Kottooli P.O, Kozhikode 673016 Tel: +91 495 4012525 Email: calicut@cera-india.com  
**Mumbai:** 7, Woodrow Building, Veera Desai Road, Andheri West, Mumbai 400053 Tel: +91 22 42958370 Email: mumbai@cera-india.com  
**Pune:** Safalya, 2<sup>nd</sup> Floor, CTS No: 1103/A-9, Adarsh Colony, Opp. Vidya Bhawan, Shivaji Nagar, Pune 411005  
**Thiruvananthapuram:** 1<sup>st</sup> Floor, SFS Pyramid, TC 97/2139(97), Near MGM School, Thampuran Mukku, NH Bypass, Karimanal P.O., Thiruvananthapuram 695583 Tel: +91 471 4064101 Email:trivandrum@cera-india.com  
**Thrissur:** Saraswathy Anugraha Apartments, Opp. Thenjithukavu Temple, Ayyanthole, Thrissur 680003 Tel: +91 487 2364170 Email: trichur@cera-india.com

**CERA** Style Studio  
Company Display Centre

**Ahmedabad:** 2<sup>nd</sup> Floor, B Block, The Acropolis Mall, S.G. Highway, Thaltej, Ahmedabad 380054 Tel: +91 9033008905, 9033008906, 9033008907, 9033008908 Email: bathstudio\_ahd@cera-india.com  
**Bengaluru:** 58, Todi Residency, 1<sup>st</sup> Floor, 100 Feet Road, Indira nagar, Bengaluru 560038 Tel: +91 80 41126226 Email: cerastudio.bangalore@cera-india.com  
**Chandigarh:** SCO No. 46, Pocket No. 1, NAC, Manimajra, Chandigarh 160101 Tel: +91 172 2733101, 5001007 Email: chandigarh@cera-india.com  
**Chennai:** 10 Square Mall, 2<sup>nd</sup> Floor, West Wing, 100 Feet Road, #64, Jawaharlal Nehru Road, Koyambedu, Chennai 600107 Tel: +91 44 48649884, 48609885  
**Hyderabad:** Plot # 643, 3<sup>rd</sup> & 4<sup>th</sup> Floor, Mytri Heights, Adjacent Madhapur Metro Station, Road # 36, Jubilee Hills, Hyderabad 500033 Tel: +91 40 29880622 Email: css.hyderabad@cera-india.com  
**Kochi:** 1 Floor, Bay Pride Towers & Mall, Marine Drive, Kochi 682031 Tel: +91 484 4052213, 2365440 Email: cochin@cera-india.com  
**Kolkata:** Tirumala 22, Unit - 3A, 3<sup>rd</sup> Floor, 22 Topsia Road (East), Kolkata 700046 Tel: +91 33 22850130 Email: css.kolkata@cera-india.com  
**Morbi:** Corporate 9, Eden Ceramic City, National Highway 8A, Lalpar, Morbi 363642  
**Mumbai:** 7, Woodrow Building, Veera Desai Road, Andheri West, Mumbai 400053 Tel: +91 22 42958370 Email: mumbai@cera-india.com  
**Thiruvananthapuram:** 1<sup>st</sup> Floor, SFS Pyramid, TC 97/2139(97), Near MGM School, Thampuran Mukku, NH Bypass, Karimanal P.O., Thiruvananthapuram 695583 Tel: +91 471 4064101 Email:trivandrum@cera-india.com

**CERA** Tile Gallery

**Andhra Pradesh:** Bhimavaram, Mob: +91 9440906882 Guntur, Mob: +91 9640294656 Kakinada, Mob: +91 9912925631 Kurnool, Mob: +91 9618333312 Proddatur, Mob: +91 9912629290 Tirupati, Mob: +91 9440270460 Visakhapatnam, Mob: +91 9640479343 **Assam:** Guwahati Mob: +91 9954053054 Hojai, Mob: +91 9401384040 Tinsukia, Mob: +91 8824843393 **Bihar:** Aurangabad, Mob: +91 7004130471 Patna, Mob: +91 9199425460 **Chandigarh:** Mohali, Mob: +91 9814012689 **Goa:** Mapusa, Mob: +91 9850646762 **Gujarat:** Ahmedabad, Mob: +91 9227217417. Jamnagar, Mob: +919723166257,9974027225 **Himachal Pradesh:** Hamirpur, Mob: +91 9418047116 **Jammu & Kashmir:** Jammu, Mob: +91 9419300845 **Jharkhand:** Dumka, Mob: +91 7004581629 Giridih, Mob: +91 8986897928. Hazaribagh, Mob: +91 9470116447. Ranchi, Mob: +91 7549981555 **Karnataka:** Ballari, Mob: +91 9342920044 Bangalore, Mob: +91 9900225757,9916704999 Huvinahadagali, Mob: +91 9632407473 Jamkhandi, Mob: +91 9845390680 **Kerala:** Alappuzha, Mob:+91 8921400288. Angamaly, Mob: +91 93879 27723. Karunagappalli, Mob: +91 98951 71756 Thiruvananthapuram, Mob: +91 6282659117 **Madhya Pradesh:** Gwalior, Mob: +91 9009081717 **Maharashtra:** Boisar, Mob: +91 8378994188 Jalgaon, Mob: +91 9422211259 Nashik, Mob: +91 9850779938 Natepute, Mob: +91 7709094645 Ratnagiri, Mob: +91 9422347179. Satara, Mob: +91 9284019063 **Odisha:** Angul, Mob: +91 8093034131. Balasore, Mob: +91 9437296139. Baripada, Mob: +91 8456858615 Bhubaneswar, Mob: +91 9337951241 Brahmaapur, Mob: +91 7788882524 Jaleswar, Mob: +91 9439961258 Bhadrak, +91 9040486002 **Punjab:** Amritsar, Mob: +91 9855420444, 9855460444 Dhariwal, Mob: +91 9855029552, 9855886700 Jalandhar, Mob: +91 9815666263, 9872387563, 9815465513 Rayya, Mob: +91 9592936663, 9569570003 **Rajasthan:** Bikaner, Mob: +91 7014670045 Jaipur, Mob: +91 9414068654 Kota, Mob: +91 9928021606 **Tamilnadu:** Nagercoil, Mob: +91 73737 51455 Tirunelveli, Mob: +91 73737 51455. **Telangana:** Hanamkonda Mob: +91 89789 73970 Hyderabad, Mob:+91 9440117643. Hyderabad, Mob: +91 9866922158. Khammam, Mob: +91 9666785633 **Uttar Pradesh:** Ballia, Mob: +91 9616221575 Jaunpur, Mob: +91 9044400701 Lalganj, Mob: +91 9415654341 Salempur, Mob: +91 9936195353 Varanasi, Mob: +91 9454319820 **West Bengal:** Bolpur, Mob: +91 9434114453 Borai, Mob: +91 8296877698 Dhaniakhali, Mob: +91 9002864137 Kalna, Mob: +91 8918795370 Silda, Mob: +91 8101604009

**Disclaimer:** The colours of tiles shown in this catalogue are as accurate as the limitations of printing. Customers are requested to check actual sample before placing orders. Every effort has been made to ensure the accuracy of the specifications and other information given in this catalogue. However, the company reserves the right to change the specifications without prior notice.

Scan & Find Cera Gallery Near You



**CERA** Tile Gallery